

PRODUCT BROCHURE



Providing a cost effective, open, and modular approach to mission system solutions

Rugged 3G-SDI Video Products for Airborne, Ground, and Marine Surveillance Missions

Switches • Converters • Processors • Displays • Controllers

www.appliedvi.com

+1 434 974 6310

www.appliedvi.com

355 Rio Road West

Suite 101

Charlottesville, VA 22901

USA

3-G SDI Video Switches, Splitters, and Re-Clockers



S000108-00 8X8 Switch

Eight SDI in, Eight SDI out nonblocking switch (any input to any or all outputs).



S10020X-00 Re-Clocker

SDI in, SDI out. Available in two, four, or six channel versions.



S000116-00 16X16 Switch

Sixteen SDI in, Sixteen SDI out non-blocking switch (any input to any or all outputs).



S05020X-00 1X4 Splitter

One SDI in, Four SDI out. Available in one, two, or four channel versions.

Miscellaneous SDI Video Converters and Processors



C200301-00 VGA to SDI Converter

One VGA in, three scaled SDI video out.



Q000304-00 Quad Image Processor

Four SDI in, two SDI and one DVI out. Inputs combined as a single quad image with multiple layouts.



C40030X-00 SDI to SDI Scaling Converter

SDI in, SDI Loop, and two SDI out. Available in one or two channel versions.



C220301-00 SDI to VGA Converter

One SDI in, one SDI in loop through, one scaled VGA video out.



Q000304-01 IP68 Rated Quad Image Processor

Four SDI in, two SDI and one DVI out. Inputs combined as a single quad image with multiple layouts.



P000100-00-00 General Purpose Processor

AM335x 1GHz Arm Cortex-A8 processor with RS232, R422, RS485, I/O, and Ethernet



C500301-00 DisplayPort to SDI Converter

One DisplayPort in, three SDI out.



C400301-01 IP68 Rated SDI to SDI and Scaling Converter

SDI in, SDI Loop, two SDI out and DVI Out.



C600301-00 RGB Sync Converter

Converts RGBs, RGsB, to RGBHV and RGBs

DVI/HDMI to 3-G SDI Video Converters



C00030X-00

DVI-D/HDMI in, scaled to three SD, HD, or 3-G SDI video out. Available in one, two, or four channel versions.



C00030X-01 IP68 Rated

DVI-D/HDMI in, scaled to three SD, HD, or 3-G SDI video out. Available in one or four channel versions.



C000302-04

Two channels of DVI-D/HDMI in, scaled to five SD, HD, or 3-G SDI video out for each channel.

3-G SDI to DVI/HDMI Video Converters



C25030X-00

One SDI in, one SDI in alternate, one SDI in loop through, one scaled DVI-D/HDMI out. Available in one, two, or four channel versions.



C25030X-01 IP68 Rated

One SDI in, one SDI in alternate, one SDI in loop through, one scaled DVI-D/HDMI out. Available in one or four channel versions.



C250301-03

SDI in, one SDI in alternate, one SDI in loop through, one scaled DVI-D/HDMI out. DVI Surge Suppressor and MIL-STD 1275E DC/DC module.

NTSC/PAL to SDI and SDI to NTSC/PAL Video Converters



C10030X-00

Composite, S-Video, or Component NTSC/PAL in, two SDI video out. Available in one, two, or four channel versions.



C15030X-00

One SDI in, one SDI loop through, Composite, S-Video, or Component NTSC/PAL video out. Available in one, two, or four channel versions.

User Interface Modules



UIM001-00

PCAP Six Button module with DZUS mounts. Customizable Icons.



UIM001-01

Mechanical Six Button module with DZUS mounts. Customizable Icons.



UIM002-00

PCAP Twelve Button module with DZUS mounts. Customizable Icons.



UIM002-01

Mechanical Twelve Button module with DZUS mounts. Customizable Icons.



UIM003-00

PCAP Eighteen Button module with DZUS mounts. Customizable Icons.



UIM003-01

Mechanical Eighteen Button module with DZUS mounts. Customizable Icons.



UIM002-02

PCAP Twelve Button module with DZUS mounts. Customizable Icons.



UIRS02-00

Panel Mount Programable two to sixteen positions rotary switch selector with customizable Icons and position stops.

Rugged Multifunction Displays

AVI's Third Generation Display Architecture

- Modular Approach
- Encapsulates functionality
- Better Heat Dissipation
- IP68 Design
- Increased Installation flexibility
- Reduced overall size/volume/mass
- Electronics and User Interface can be mounted on the LCD or remotely



Models: -00 High Bright, -01 High Bright w/ Touch Screen, -10 High Bright NVGS Mode, -11 High Bright NVGS Mode w/ Touch Screen



D072-XX7" Full HD, IP68 Rated.



D102-XX 10.1" Full HD, IP68 Rated.



D122-XX 12.1" HD, IP68 Rated.



D152-XX 15.6" Full HD, IP68 Rated.



D172-XX 17.3" Full HD, IP68 Rated.



D212-XX 21.5" Full HD, IP68 Rated.



D242-XX 23.8" Full HD, IP68 Rated.



DEUXX1-100 Display Electronics Unit

IP68 Rated. Display mount or remote up to two meters, four SDI inputs, one SDI output, Ethernet, Serial, and I/O. Two power ratings. HDMI option. Multiple user interface options for display control, including AVI's User Interface Modules.



eDP Cable

IP68 Rated when mated. Micro Bi-Lobe connectors. Available in 0.5, 1.0, and 2.0 meter lengths.

About Applied Video Imaging

- AVI established in 2012, Based in Charlottesville VA, USA.
- AVI specializes in rugged SDI (Serial Digital Video) products.
- Three-year warranty on all products.
- AVI's primary market focus is Airborne, Ground, and Marine based ISR Mission Systems.
- DO-160 test reports available or pending.
- AVI's product approach is to provide encapsulated SDI processing modules for creating optimal mission system architectures.
- AVI's "building block" approach to mission systems design provides customers:
 - Lower system complexity
 - Lower system component costs
 - Decreased installation costs
 - Lower installed system weight
 - Lower lifecycle costs
 - o Greater system operational flexibility and mission operational effectiveness
- Customer and Engineering focused.

Go to AVI's web site to download detailed specifications on the data sheets for all of our products in this catalog.

